

RECTIFIERS MITSUBISHI

RTMI-7111



Diodes : 6-35 Ampere
Mounting Length : 71 mm.
With Trio
Without Capacitor

Mitsubishi	A001T02871
3446828100	A001T23283
A001T22771	31-8308
WAI	CARGO 132087
	MOBILETR RM-59
TRANSPO	IMR7111

For : Plymouth, Dodge, Chrysler

RTMI-7117




Diodes : 6-35 Ampere
Mounting Length : 71 mm.
With M5x43 mm.
Battery Post
With Trio
Without Capacitor

Mitsubishi	A860T09470
Nissan	23124-U0114
Mobiletron	RM-88
WAI	31-8389
CARGO	138974
TRANSPO	IMR7117

For : Nissan Pickup, Pulsar

RTMI-7139



Diodes : 6-35 Ampere
Mounting Length : 71 mm.
Mitsubishi
Mazda
TRANSPO

A860T08570
S205-24-510
IMR7139

For : Mazda, Mitsubishi

RTMI-7141



Diodes : 6-35 Ampere
Mounting Length : 71 mm.
With Trio
With Capacitor

Mitsubishi	A860T11270
Mazda	D401-24-510B
TRANSPO	IMR7141

For : Ford Truck, Mazda Diesel

RTMI-7171



Diodes : 6-35 Ampere
Mounting Length : 71 mm.
With Capacitor

Mitsubishi	A860T07170
Mazda	GE01-24-510
TRANSPO	IMR7171

For : Ford Courier, Mazda B2000&E2000

RTMI-7564



Diodes : 6-30 Ampere
Mounting Length : 75 mm.
With M6 x 47.5 mm Battery Post
With Trio

Mitsubishi	A860 T22370	MD611479
WAI	31-8375	
TRANSPO	IMR7564	

For : Mitsubishi Galant, Mirage, Pajero

RTMI-8011




Diodes : 6-35 Ampere
Mounting Length : 80mm
With Trio
With Aluminum Heat sinks

Mitsubishi	A860T08470
WAI	31-8390
CARGO	131543
MOBILETR	RM-85
TRANSPO	IMR8011

For : Nissan Vans, Nissan March

RTMI-8041



Diodes : 6-35 Ampere
Mounting Length : 80 mm.
With M5x43mm.
Battery Post
Without Trio
With Aluminum Heat sinks

Mitsubishi	A860T08270
Mobiletron	RM-65
Cargo	132130
WAI	31-8313
TRANSPO	IMR8041

For : Dodge Trucks, Mitsu, Mazda, Plymouth

RTMI-8043




Diodes : 6-35 Ampere
Mounting Length : 80 mm.
With Trio

WAI	31-8310
TRANSPO	IMR8043

For : Dodge Trucks, Mitsu, Mazda, Plymouth

RTMI-8045



Diodes : 6-35 Ampere
Mounting Length : 80 mm.
With Trio

Mazda	E356-24-510
Alternators :	5T21471, 5T21472
WAI	31-8315
TRANSPO	IMR8045
Mitsubishi	A860 T10770

For : Mazda GLC

RTMI-8047




Diodes : 6-35 Ampere
Mounting Length : 80 mm.
With M5x43mm. Battery Post
With Trio

Mitsubishi	A860T14570
ME700555	
TRANSPO	IMR8047

For : Mitsubishi Motors

RTMI-8506



Diodes : 6-35 Ampere
Mounting Length : 85 mm
With M5X43 mm Battery Post
With Trio
With Aluminum Heat Sinks

RTMI-8511




Diodes : 6-35 Ampere
Mounting Length : 85 mm.
With Trio

Mitsubishi	A860 T03970, A860 T05170 , MD607370
WAI	MD607441
31-8314	31-8314-1
CARGO	130833
MOBILETR	RM-68
TRANSPO	IMR8511

For : Mitsubishi, Dodge, Mazda, Plymouth

RTMI-8542-A



Diodes : 6-35 Ampere
Mounting Length : 85 mm.
With Trio
With Copper Heat sinks

MITSUBISHI	A860T08370	A860T10470
MD607693	A860T09370	
MOBILETRON	RM-83	
TRANSPO	IMR8541	
CARGO	131545	
WAI	31-8311	

For : Mazda 626 , Dodge Truck

RTMI-8543



Diodes : 55-60 Ampere
Mounting Length : 85 mm

Mitsubishi	Lester	14267, 14307,
A2T31677, A2T40377		14550, 14596,
A2T41191, A2T41371		14702, 14704
A2T41377	TRANSPO	IMR8543

For : Dodge Trucks, Mazda626

RTMI-8545



Diodes : 6-35 Ampere
Mounting Length : 85 mm.
With M5x43mm.
Battery Post
With Trio

Mitsubishi	A860T15170,
A860T08770,	
MD607680	
WAI	31-8331
TRANSPO	IMR8545

For : Mazda Diesel 626, Mitsu Mirage Turbo

RTMI-8571



Diodes : 6-35 Ampere
Mounting Length : 85 mm.
With Trio

Mitsubishi	A860T07270
Mazda	8173-24-510A
TRANSPO	IMR8571

For : Mazda GLC Sedan

RTMI-8573




Diodes : 6-35 Ampere
Mounting Length : 85 mm.
With Trio
Alternators :

A2T25171,	
A2T25172	
TRANSPO	IMR8573

For : Mazda GLC Sedan

RTMI-10041



Diodes : 6-50 Ampere
 Mounting Length : 100 mm.
 With Trio Mitsubishi A860T11370
 Mazda 4130-24-510B
 WAI 31-8306
 TRANSPO IMR10041

For : Mazda 626, Plymouth


RTMI-6502



Diodes : 6-30 Ampere
 Mounting Length: 65mm
 With M5x49mm Battery Post
 With Trio

For : Subaru Jasty


RTMI-6540



Diodes : 6-30 Ampere
 Mounting Length : 65 mm.
 With M6x49.5mm.
 Battery Post With Trio
 Mitsubishi A860T22770
 Mobiletron RM-03
 Subaru 23830-KA070
 WAI 31-8317
 CARGO 132789
 TRANSPO IMR6540

For : Subaru Jasty


RTMI-6542



Diodes : 6-30 Ampere
 Mounting Length : 65 mm.
 With M5x49mm.
 Battery Post With Trio
 Mitsubishi A860T11970, A860T13370
 Mobiletron RM-01 ,
 RM-02 , RM-15
 WAI
 31-8305, 31-8316
 CARGO
 132039 , 136981
 TRANSPO IMR6542

For : Ford, Mazda, Mitsubishi, Plymouth


RTMI-6548



Diodes : 6-30 Ampere
 Mounting Length : 65 mm.
 With Trio
 Mitsubishi A860T16770,
 A860T13770 MD611254
 Mobiletron RM-04
 WAI 31-8323
 CARGO 132791
 TRANSPO IMR6548

For : Mitsu, Plymouth Champ, Hyundai, Dodge Colt


RTMI-7544



Diodes : 6-30 Ampere
 Mounting Length : 75 mm.
 With M5x49mm.
 Battery Post
 With Trio
 Mitsubishi A860T24270,
 A860T17570,
 A860T17970,
 A860T13270
 Ford E98Z-10304-A
 Mazda E5D3-18-W60A
 WAI 31-8303
 TRANSPO IMR7544

For : Mazda 626, B1800, B2000 Pickup, RX7


RTMI-7548



Diodes : 6-30 Ampere
 Mounting Length : 75 mm.
 With Trio
 Mitsubishi A860T17270
 Nissan 23124-08E16
 WAI 31-8319
 CARGO 132467
 MOBILETR RM-09
 TRANSPO IMR7548

For : Nissan 200SX, Pulsar, Stanza


RTMI-7550



Diodes : 6-30 Ampere
 Mounting Length : 75 mm.
 With Trio
 Mitsubishi A860 T17770
 A860 T17779 MD611307
 WAI 31-8322
 CARGO 133265
 MOBILETR RM-11
 TRANSPO IMR7550

For : Chrysler Laser, Ford, Mitsubishi Starion

RTMI-7558



Diodes : 8-30 Ampere
 Mounting Length : 75 mm.
 With M6x49.5mm
 Battery Post
 With Trio
 WAI 31-8359
 TRANSPO IMR7558

For : Geo Tracker, Suzuki Sidekick


RTMI-7572



Diodes : 6-30 Ampere
 Mounting Length : 75 mm.
 With M5x44mm. Battery Post
 With Trio
 Mitsubishi A860 T27070
 WAI 31-8344
 TRANSPO IMR7572

For : Mazda 323


RTMI-7586



Diodes : 6-30 Ampere
 Mounting Length : 75 mm.
 With M6 x 49.5mm
 Battery Post
 With Trio
 Mitsubishi A860x20099
 WAI 31-8341
 TRANSPO IMR7586

For : Mazdde 929

RTMI-7588



Diodes : 6-30 Ampere
 Mounting Length : 75 mm.
 With M8x59.5mm
 Battery Post
 With Trio
 Mitsubishi A860T46570 ,MD61884
 TRANSPO IMR7588

For : 1993-94 Mazde Misubishi


RTMI-7590



Diodes : 6-30 Ampere
 Mounting Length : 75 mm.
 Fits Alternators : A5TA0991ZC
 Honda AHGA24
 TRANSPO IMR7590

For : Honda Civic

RTMI-7596



Diodes : 6-30 Ampere
 Mounting Length: 75 mm
 With M6x49.5mm. Battery Post
 With Trio
 TRANSPO IMR7596

For : Peugeot

RTMI-8506B



Diodes : 8-30 Ampere
 Mounting Length : 85 mm.
 With M8x54 mm. Battery Post
 With Trio

RTMI-8520



Diodes : 6-30 Ampere
 Mounting Length : 85 mm.
 With M5x49 mm. Battery Post
 With Trio
 With "W" Terminal

RECTIFIERS MITSUBISHI

RTMI-8521



Diodes : 8-35 Ampere
Mounting Length : 85 mm.
With M8x54mm. Battery Post
With Trio

RTMI-8541



Diodes : 6-35 Ampere Mazda FE01-24-510A,
Mounting HE41-24-510
Length : 85 mm. Mitsubishi Motors
With Trio MD607693
Mitsubishi A860T08370, WAI 31-8311
A860T10470 TRANSPO IMR8541

For : Dodge Trucks , Mazda 626

RTMI-8542-B



Diodes : 6-30 Ampere FORD E8PZ10304A
Mounting WAI 31-8327
Length : 85 mm. MOBILETRON RM-30
With M6X49.5mm CARGO 233511
Battery Post TRANSPO IMR8542
With Trio

For : Ford Thunderbird

RTMI-8544



Diodes : 8-30 Ampere
Mounting Length : 85 mm.
With M5x44 mm. Battery Post
With Trio
With Capacitor


RTMI-8546



Diodes : 6-35 Ampere Without Trio
Mounting Length : 85 mm WAI 31-8336
With M6 x 49.5 mm. TRANSPO IMR8544
Battery Post IMR8546

For : Mazda MPV

RTMI-8547



RTMI-8566

Diodes: 6-30 Ampere
Mounting Length: 85 mm
With M8x54 mm Mitsubishi A860T57870
Battery Post Mobiletron RM-110HV
Without Capacitor WAI 31-8382
Without Trio Cargo 138873
For : Mazda Protégé Lester IMR8566

RTMI-8574



Diodes: 8-30 Ampere Mitsubishi A3T00692,
Mounting Length: 85 mm A3T04292
With M6x1.0Batt.Term Lester 13352
TRANSPO IMR8574 WAI 31-8353

For : (1996-90)Dodge,Hyundai,Mitsubishi

RTMI-8580



Diodes : 6-35 Ampere With Trio
Mounting Length : 85 mm. Mitsubishi A2T20091
With M8x54mm. WAI 31-8350
Battery Post TRANSPO IMR8580

For : Mazda 626, MX6

RTMI-8582



Diodes : 8-35 Ampere With Trio
Mounting Mitsubishi A860T32170
Length : 85 mm. WAI 31-8350
With M8x54mm. TRANSPO IMR8582
Battery Post

For : Mazda 626, MX6

RTMI-8592



Diodes : 6-35 Ampere With Trio
Mounting Length : 85 mm. Mitsubishi A860T39170
With M5x44mm. Battery Post Mazda B366-18-W60
TRANSPO IMR8592

For : Mazda 626, Mazda MX6, Ford Probe

RTMI-8594



Diodes : 8-35 Ampere Mitsubishi A860T42670
Mounting Mitsubishi Motor
Length : 85 mm. MD198164,MD190819,
With M8x54mm. MD306649
Battery Post WAI 31-8363
With Trio TRANSPO IMR8594

For : Ford, Mazda

RTMI-10017



Diodes : 8-35 Ampere
Mounting Length : 100 mm.
With 8 x 54 mm Battery Post
With Trio

RTMI-10018



Diodes : 8-35 Ampere
Mounting Length: 100 mm
With M8x54mm Battery Post
With "W" Terminal
With Trio

RTMI-10040



Diodes : 8-35 Ampere FORD E9PZ10304B
Mounting MOBILETRON RM-41
Length : 100 mm. WAI 31-8329
With M6x49.5 mm. CARGO 135252
Battery Post TRANSPO IMR10040
With Trio

For:Ford Thunderbird,Mercury Cougar,Hyundai Alliance

RTMI-10042



Diodes : 8-35 Ampere WAI 31-8325
Mounting TRANSPO IMR10042
Length:100 mm
With Trio

For: Mitsubishi Van&Wagon,Dodge Eagle,Chrysler Imports

RTMI-10044



MITSUBISHI A 860 T 30170 Diodes : 8-35 Ampere
MOBILETRON RM-42 Mounting
WAI 31-8338 Length : 100 mm.
CARGO 135229 With M5x44 mm.
TRANSPO IMR10044 Battery Post
For : Subaru XT With Trio

RTMI-10048



Diodes : 6-35 Ampere Battery Post
Mounting Length:100 mm With Trio
With M6 x 49.5 mm TRANSPO IMR10048

For : Mitsubishi 3000GT,Diamante

RTMI-10049



Diodes : 8-35 Ampere
 Mounting Length : 100 mm.
 With M8x59.5 mm. Battery Post
 With Trio
 With Capacitor
 MITSUBISHI A860X47070
 MOBILETRON RM-116
 CARGO 139111

RTMI-10050



With Trio
 WAI 31-8339
 TRANSPO IMR10050
 Diodes : 8-35 Ampere
 Mounting Length:100 mm
 With M6 x 49.5 mm
 Battery Post

For: Mitsu3000GT,Dodge Stealth,Hyundai Sonata

RTMI-10062



Diodes: 8-35 Ampere
 Mounting Length: 100 mm
 With M6x49.5mm
 Battery Post
 With Trio
 Mitsubishi A 860 T 42070
 Mobiletron RM-47
 WAI 31-8357
 Transpo IMR10062

For : Ford Taurus SHO

RTMI-10064



Diodes : 8-35 Ampere
 Mounting Length : 100 mm.
 With M5x44mm. Battery Post
 With Trio
 Mitsubishi A860T38670
 Mazda K801-18-W60
 Ford F32Z10346B
 TRANSPO IMR10064

For : Mazda 626, Mazda MX6, Ford Probe

RTMI-10066



Diodes : 8-35 Ampere
 Mounting Length : 100 mm.
 With M8x54mm. Battery Post
 With Trio
 Mitsubishi A860T36770
 Mazda JE48-18-W60
 WAI 31-8355
 TRANSPO IMR10066

For : Mazda 929

RTMI-10068



With Trio
 Mitsubishi A860T40270
 Mazda N3A1-18-W60
 WAI 31-8366
 TRANSPO IMR10068
 Diodes : 8-35 Ampere
 Mounting Length : 100 mm.
 With M5x44mm. Battery Post

For : Mazda RX7 Turbo

RTMI-10096



Diodes : 6-35 Ampere
 Mounting Length : 100 mm.
 With M8x54mm. Battery Post
 With Trio
 Mitsubishi A860X52570,
 ME701439,
 ME701569
 TRANSPO IMR10096

For : Fuso Canter

RTMI-85100



Diodes : 8-35 Ampere
 Mounting Length : 85 mm.
 With M5x44mm. Battery Post
 With Trio
 Mitsubishi A860T38970
 Mazda FS05-18-W80
 WAI 31-8381
 TRANSPO IMR85100

For : Mazda 626

RTMI-85104



Diodes : 8-35 Ampere
 Mounting Length : 85 mm.
 With M6 x 49.5 mm. Battery Post
 With Trio
 TRANSPO IMR85104

For : Ford Europe

RTNK-113



For : KOMATSU PC 200

RTNK-113A



RT-27A 25V 35A



For : Komatsu 1600

RT-27B 25V 35A



For : Komatsu 1800

RTNK-35 25V 50A



ALUMINUM SANKEN JP WELDING DIODE
For : Komatsu 33730-2190, Nissan Diesel 0-33730-2190

RTNK-13201



Diodes: 8-25 Ampere With M6x33.5mm
Diameter OD: 132mm Battery Post With Trio

RTND-260



NIPPONDENSO 021580-2160
021580-2230 027357-63020
WAI 31-8201
TRANSPO INR720PF
Diodes : 8-50Ampere Press-Fit
Diameter OD : 100 mm.
With M6 mm. Battery Post
Without Ground Screw Hole
For : Isuzu, Honda, Toyota, Acura

RTND-402



Diodes:
8-50 Ampere
Diameter OD:
103 mm
With M6 Battery Post
With Ground Screw Hole
ALUMINUM PRESS FIT DIODE 50A
For : Geo Prizm, Toyota Celica, Corolla

RTND-502



Diodes : 8-50 Ampere
Diameter OD : 100 mm.
With M6 Battery Post
With Ground Screw Hole

TRANSPO INR-502
For use on :
1996-00 Suzuki Esteem 1.6 L
1997-99 Toyota 4-Runner 2.7 L

RTND-716



Diodes : 8-35 Ampere
Diameter OD : 83 mm.
With M6x44 mm. Battery Post
For use on : Industrial

RTND-718



For : Industrial

Diodes : 8-35 Ampere
Diameter OD : 83 mm.
With M 6mm. Battery Post
Nippondenso 02158-3110
WAI 31-8221
TRANSPO INR718

RTND-720

ALUMINUM PRESS FIT DIODE 50A



For : Acura , Honda , Isuzu , Toyota Sterling

Diodes :8-50Ampere
Diameter OD : 100 mm.
WAI 31-8201
TRANSPO INR720

RTND-722

ALUMINUM PRESS FIT DIODE 50A



For : Volvo Turbo Aircon, Lexus

Diodes : 8-50 Ampere
Diameter OD : 103 mm.
With M8 mm. Battery Post
RENARD 11252
WAI 31-8217
TRANSPO INR722

RTND-724



For : Isuzu I-Mark, Toyota Teral 4-Runner

Diodes : 8-35 Ampere
Diameter OD : 87mm.
With M 6mm. Battery Post
WAI 31-8200
TRANSPO INR724

RTND-725



For : Honda Civic, CRX, Toyota Tercel, Acura

Diodes : 8-35 Ampere
Diameter OD : 90 mm.
With M 6mm. Battery Post
WAI 31-8205
TRANSPO INR725

RTND-733



For :Lexus SC400, Toyota

Diodes : 8-50 Ampere
Diameter OD : 113mm.
With M 8mm. Battery Post
with Ground Screw Hole
WAI 31-8214
TRANSPO INR733

RTND-734



Diodes : 8-50 Ampere
Diameter OD : 113mm.
With M 6x44mm. Battery Post
with Ground Screw Hole
WAI 31-8207
TRANSPO INR734

ALUMINUM PRESS FIT DIODE 50A

RTND-10301



Diodes: 8-50 Ampere
Diameter OD: 103 mm
With M6x44mm Battery Post
With Mounting Hole for Ground Strap
NIPPONDENSO 021580-3640
025180-4660 ,025180-4840
MOBILETRON RN-01
WAI 31-8208
31-8208-1
CARGO 135417
TRANSPO INR729
For :Chrysler Lebaron,Dodge Caravan,Spirit,Daytona,Omni

RTND-10306



NIPPONDENSO 100211-8620
100211-8630 , 100211-8632
RENARD 11222
WAI 31-8218 , 31-8222

Diodes:8-50 Ampere
Diameter OD: 103 mm
With M8x50mm Battery Post
With Ground Screw Hole
For : Volvo 740 Series2.3L W/Turbo

RTND-11308



Diodes : 8-50Ampere
Diameter OD : 113 mm.
With M8x47 mm. Battery Post
With Ground Screw Hole

RTND-11310



Diodes : 8-50Ampere
Diameter OD : 113mm.
With M 8mm.
Battery Post
With Ground Screw Hole

RTND-13401



Diodes : 12-60A Avalanche
With M8X46mm Battery Post
104210-6100
INR435 , 11181

RTND-261



With M5x35mm
Ground Post
With M5x41.5
Mounting Bolt
Replacing
021580-2300

Diodes : 8-35 Ampere
Diameter OD : 114mm
With M5x47.5mm Battery Post

For : Isuzu TFR

RTND-262



Diodes : 8-35 Ampere
Diameter OD : 114mm
With M6x48.5mm
Battery Post
With M5x40mm
Battery Mounting Bolt
With M5x40mm
Ground Post
With M5x35
Ground Mounting Bolt
With Trio

**ALUMINUM SANKEN JP
WELDING DIODE**
For : Hino, Isuzu

RTND-264



Diodes : 8-35 Ampere
Diameter OD : 114mm
With M6x48.5mm
Battery Post
With M5x35mm
Ground Post
With M5x41.5
Mounting Bolt

For : Toyota Mighty-x

RTND-400



Diodes : 6-35 Ampere
Diameter OD : 100 mm.
With M6x49.5mm.
Battery Post
With M5x36mm.
Battery Mounting Bolt
With M5x38mm.
Ground Post
With M5x38mm.
Ground Mounting Bolt
NIPPONDENSO
021600-1340
CARGO 135884
TRANSPO INR400

RTND-1701



Diodes: 6-50 A
Avalanche Press-Fit
Diameter OD: 117 mm
With M6x33 mm
Battery Post
With Aluminum Heat sinks

RTND-1702



Diodes: 12-50 A
Avalanche Press-Fit
Diameter OD: 117 mm
With M6x33 mm
Battery Post
With Aluminum
Heat sinks
For use on:
2003 Toyota Tundra
Pickup 4.7L

RTND-1703



Diodes: 12-50 A
Avalanche Press-Fit
Diameter OD: 117 mm
With M8x46mm
Battery Post
With Aluminum Heat sinks
For use on:
2002-2003 Chrysler 300M 3.5L
2002-2003 Chrysler Concorde 3.5L
2002-2003 Dodge Intrepid 3.5L
NIPPONDENSO 421000-0120
MOBILETRON RN-30
TRANSPO INR420

RTND-1705



Diodes: 6-50 A
Avalanche Press-Fit
Diameter OD: 117 mm
With M6x34 .5mm
Battery Post
With Aluminum Heat sinks


For : D-MAX

RTND-1707



Diodes: 12-75 A
Avalanche Press-Fit
Diameter OD: 117 mm
With M8x46 mm
Battery Post
With Copper Heat sinks
For use on:
2002-01 Acura MDX3.5L
2004-02 Honda Odyssey 3.5L
2004-03 Honda Pilot 3.5L

RTND-11412



Diodes : 8-535Ampere
Diameter OD : 114mm.
With M6x40mm. Battery Post

RTND-11502A



**ALUMINUM PRESS FIT DIODE 50A
D-MAX(M8)**

RTND-11502B




M8

RTND-11502C



**ALUMINUM PRESS FIT DIODE 50A
VIGO(M6)**

RTND-13001



Diodes : 6-50 Ampere
Diameter OD : 130 mm.
With M 10 x 50.5 mm.
Battery Post
With M6 x 40 mm Ground
Post
With Trio / Capacitor
BOSCH Diodes

RTSW-120



Diodes: 8-30 Ampere BLOCK
M6 Battery Post
Without Trio

For : HINO

RTSW-120B



Diodes: 8-30 Ampere BLOCK

For : HINO

RTSW-120C



Diodes : 8-35 Ampere Block
With M6X35mm Battery Post
Without Trio

For Use On: MITSUBISHI , HINO JO8

RTSW-7001



Diodes : 4-30 Ampere BLOCK
Mounting Length : 70 mm
STAMPED STEEL HEATSINK

For : HINO

RTSW-7002




Diodes : 6-30 Ampere BLOCK

RTSW-11810



Diodes: 8-30 Ampere
Diameter OD: 118mm
With Trio

RTDC-5040



Diodes : 6-25 A Button
 Delco 1852209,
 1875627,1891055,
 1984638 D3915

WAI 31-101 31-101-3
 MOBILETR RD-09
 TRANSPO DR5040

For : GM Vehicles

RTDC-5080




Diodes : 6-25 A Button
 Delco 1875645,
 1892914, 801816, D3983
 WAI 31-109

CARGO 130555
 MOBILETR
 RD-17,RD-17H
 TRANSPO
 DR5080 DR5082

For : GM Passenger Car, Heavy Truck

RTDC-5170




Diodes : 6-25 Ampere
 Button
 For : ITSI 97-108 A
 Alternators

Delco 1985801 D3985
 WAI 31-109
 TRANSPO DR5170

For : GM Vehicles,Cadillac

RTDC-5173




Diodes : 6-50 Ampere
 Button
 With Fin Gull Wing Style
 Heatsinks

Delco 1988976 ,D3987
 WAI 31-106
 TRANSPO DR5173

For : Navistar,Cummings Engine,Detroit Diesel Engine,Volvo


RTDC-5185HD



NOTE: THE HEAVY DUTY
 VERSION OF DC5185
 FEATURE: 6-50 ABUTTON DIODE
 TRANSPO DR5042

For : GM Vehicles

RTDC-013



Diodes : 6-25 Ampere

RTDC-4108



Diodes : 6-60 Avalanche
 With M8 Battery Post
 With Trio

RTDC-5179



Diodes:6-50A
 Avalanche
 With M8x46mm
 Battery Post Installed
 With Aluminum
 Heat sinks
 With Trio

DELCO 10475034 ,
 1205464 , 589714
 WAI 31-131
 CARGO 136595
 Mobiletron RD-04B
 TRANSPO
 DER2000,DER2000V