

# RECTIFIERS FORD

**RTFR-201**



Diodes : 8-35 Ampere  
Diameter OD : 133 mm.  
Ford F5AZ-10304-BA, F1TZ-10346  
WAI 31-207  
TRANSPO FR2012 FR2012-1

For : Ford Passenger Car, Light Truck

**RTFR-602**



Diodes : 8-50  
Ampere  
Diameter OD:149 mm  
For135 A Alternators  
High Temp Lead  
Frame Standard  
Unique CRIMP & weld  
Diode-stem to Lead-Frame  
Ford F8AU110300AB XF2U103008C  
WAI 31-212  
TRANSPO FR602 FR602SP

For : Ford, Crown Victoria,Mercury,Lincoln Continental

**RTFR-6012**



Diodes : 6-35 Ampere  
Diameter OD : 136 mm.  
With M6 x 33.5 mm.

Battery Post  
WAI 31-219  
TRANSPO FR608

**RTFR-6070**



**RTFR-6073**



Diodes : 6-35 Ampere  
Diameter OD: 136 mm  
With M6x33.5 mm  
Battery Post

FORD IL8U-10300-CD,IL8U-10300-CE  
IL82-10346-CB,IR3U-10300-AA  
IR3U-10300-AD  
WAI 31-218-1  
TRANSPO FR606

**RTFR-192HD**



Diodes : 6-35 Ampere  
Ford E43Z10304A E6DZ10304A  
WAI 31-203 31-203-3  
TRANSPO FR192HD  
FR192XHD , FR192ICE , FR192PF  
For : Ford, Mercury, Light Truck



**RTHI-001**

Diodes : 6-25 Ampere  
With M5x33mm Mounting Bolt  
Hitachi L125-6320 L125-8320  
L140-6320 L140-7320  
WAI 31-8100  
TRANSPO IHR1000  
For : Nissan, Isuzu, Subaru, Yanmar, Nissan Forklifts



**RTHI-22 (D-054)**

Hitachi L140-13202  
L140-53202  
L150-83201  
L150-83202  
WAI 31-8113  
CARGO 131603  
MOBILETR RH-04  
TRANSPO IHR723 IHR723HD  
For : Nissan Diesel (Europe)

Diodes : 6-25 Ampere  
Diameter OD : 111mm  
With M5x31mm  
Mounting Bolt  
With Trio




**RTHI-23 (D-052)**

Hitachi L150-13205  
Isuzu 8-94223-968-0  
WAI 31-8140  
TRANSPO IHR711

Diodes : 6-25 Ampere  
Diameter OD : 111mm  
With M5x31mm  
Battery Post

For : Hitachi, Isuzu



**RTHI-24 (D-051)**

Diodes : 6-25 Ampere  
Diameter OD : 111mm  
With M5x31mm  
Battery Post

Hitachi L150-13204  
Isuzu 8-94237-729-0  
WAI 31-8106  
TRANSPO IHR604  
For : Chevy, Isuzu, Nissan, Pontiac Diesels



**RTHI-25 (D-057)**

Hitachi L130-M1330,  
L140-23201  
Isuzu 5-81218-029-0  
Mazda 1456-24-510  
TRANSPO IHR727

Diodes : 6-25 Ampere  
Diameter OD : 100mm  
With M5x31mm Battery Post

For : Isuzu Diesel, Mazda Diesel



**RTHI-28 (D-058)**

Hitachi L140-53201  
Isuzu 5-81218033-0  
WAI 31-8119  
TRANSPO IHR728

Diodes : 6-25 Ampere  
Diameter OD : 100mm  
With M5x31mm Battery Post

For : Chevy Luv Diesel, Isuzu Pickup Diesel



**RTHI-29 (D-053)  
RTHI-29 ALUMINUM**

Diodes : 6-25 Ampere  
Diameter OD : 111mm  
With M5x43mm  
Battery Post  
With M5x31mm  
Tighting Bolt

With Trio  
Hitachi L150-13206  
Isuzu 8-94116-432-0  
Nissan 23232-W1705  
TRANSPO IHR709  
For : Nissan F10, Sentra, Subaru



**RTHI-30 (D-056)  
RTHI-30 ALUMINUM**

Diodes : 6-25 Ampere  
Diameter OD : 111mm  
With M5x39mm  
Battery Post

With Trio  
THE SAME AS  
HI11106 EXCEPT  
M5 x 39 mm B  
For : Subaru



**RTHI-31 ALUMINUM (D-059)**

Diodes : 6-35 Ampere  
Diameter OD : 118mm  
With M5x31mm  
Battery Post  
With Trio

Hitachi L160-23201  
Isuzu 8-94116-432-0  
Nissan 23232-W1705  
WAI 31-8112  
TRANSPO IHR607  
For : Isuzu, Nissan Diesel



**RTHI-32 ALUMINUM (D-060)**

Diodes : 6-35 Ampere  
Diameter OD : 118mm  
With M5x31mm  
Battery Post  
With Trio

Hitachi L160-23202  
L160-43202  
Nissan 23245-V7200  
WAI 31-8133  
TRANSPO IHR721  
For : Nissan with 70 Ampere IC alternatorS, Isuzu NPR



**RTHI-33 ALUMINUM (D-055)**

Diodes : 6-35 Ampere  
Diameter OD : 118mm  
With M5x42.5 mm  
Battery Post  
With M5 x 31 mm  
Mounting Bolt  
With Trio  
Hitachi L150-13203  
LR150-13230  
L160-3320  
TRANSPO HR603 IHR603HD  
IHR605 IHR606 IHR608  
WAI 31-8105  
For : Nissan, Subaru, Subaru DL/GL/RX Hatchback



**RTHI-34**

Diodes : 6-25 Ampere  
Diameter OD : 100mm  
With M5x42.5mm  
Battery Post  
With M5x31mm  
Mounting Bolt  
With Trio  
Hitachi L135-3320  
Isuzu 84221340  
Yanmar L135-332000  
WAI 31-8135  
TRANSPO IHR734  
For : Forklift, Yanmar




**RTHI-12001**

FOR : NISSAN TIIDA



**RTHI-66**



Diodes : 8-35 Ampere  
Diameter OD : 114mm  
With M6x51mm  
Battery Post

With M5x42.5mm  
Mounting Bolt  
With M4x10mm  
Tighting Bolt  
With Trio

For : 8-97083286-0

**RTHI-67**



Diodes : 8-35 Ampere  
Diameter OD : 114mm  
With M8x55.4mm  
Battery Post  
With M5x41.8mm  
Mounting Bolt  
With M4x10mm  
Tighting Bolt

**RTHI-67/1**



Diodes : 6-35 Ampere  
Diameter OD : 114mm  
With M8x55.4mm  
Battery Post  
With M5x41.8mm Mounting  
Bolt  
With M4x10mm  
Tighting Bolt

**RTHI-739**



Diodes : 8-35 Avalanche  
Diameter OD : 114mm  
With M6 x 20.3 mm Battery  
Post  
With M5 x 31.6 mm  
Mounting Bolt  
For : 1998-2001 Nissan Altima 2.4L

With M4x12.7 mm Tighting  
Bolt  
Hitachi LR170709B  
Nissan 231009S000  
TRANSPO IHR739

**RTHI-744**



Diodes : 8-35 Ampere  
Diameter OD : 114mm  
With M6x20.3mm  
Battery Post  
For : Subaru Legacy

With M4x10mm  
Tighting Bolt  
Hitachi LR185701  
LR185702  
LR185701C  
TRANSPO IHR744

**RTHI-746**



Diodes : 8-35 Ampere  
Diameter OD : 114mm  
With M8x45.6mm  
Battery Post  
With M5x31.6mm  
Mounting Bolt  
For : Nissan Sentra, 200SX, 200SX Turbo

With M4x12.7mm  
Tighting Bolt  
Hitachi LR170748  
LR170748B  
Nissan 23100-0M003  
WAI 31-8141  
TRANSPO IHR746

**RTHI-755**



With M4x12.7mm  
Tighting Bolt  
With Trio  
Hitachi L150-13203  
LR150-13203  
Nissan 23230-Q4601  
WAI 31-8125  
TRANSPO IHR755  
For : Honda, Isuzu, Nissan sentra

Diodes : 8-35 Ampere  
Diameter OD : 103mm  
With M6x43mm  
Battery Post  
With M5x31.6mm  
Mounting Bolt

**RTHI-770**



Diodes : 8-60 A  
Avalanche  
Diameter OD : 119mm  
With M6x20.3mm  
For : 95-97 Nissan Maxima 3.0L DOHC

Battery Post  
Hitachi LR1100709B  
Nissan 231000L701  
TRANSPO IHR770

**RTHI-773**



Diodes : 8-60 A Avalanche  
Diameter OD : 119mm  
With M6x20.3mm  
For : Nissan Maxima 3.0L DOHC, Infiniti 130

Battery Post  
Hitachi LR150703  
WAI 31-8142  
TRANSPO IHR773

**RTHI-754**



HITASHI  
L170-G2320  
MOBILETRON  
RH-25  
WAI  
31-8129  
CARGO  
135318  
TRANSPO  
IHR754

Diodes : 8-35 Ampere  
Diameter OD : 103 mm.  
With M6x43 mm. Battery Post  
With M5x31.6 mm. Mounting Bolt  
Without Trio  
For use on : Nissan Sentra

**RTHI-11312ZT**



REC HI11312+REG(05-043) 14V  
L Terminal  
HITACHI  
LR180-510(14V)

With M8x45.6mm B+stud  
Complete set with

**RTHI-11414ZT**



Complete set with  
REC HI11414+REG(05-0151)  
12V

LESTER  
13728  
TRANSPO  
IHR745+IH767

For use on: Nissan Pick-up, Pathfinder

**RTHI-132+IRHI-132**



Diodes: 8-25 Ampere  
Diameter OD: 132 mm.  
With Trio

**RTHI-737+IRHI-767**




Diodes: 8-35 Ampere  
Diameter OD: 114 mm  
With M6 x 20.3 mm  
Battery Post

With M5 x 31.6mm  
Mounting Bolt  
With M4 x 12.7 mm  
Tighting Bolt  
TRANSPO IHR737+IH767

For : 1997-2000 Nissan pathfinder 3.3L

**RTHI-746+IRHI-767**



Diodes: 8-35 Ampere  
Diameter OD: 114 mm  
With M8 x 45.6mm  
Battery Post

With M4 x 12.7 mm  
Tighting Bolt  
TRANSPO IHR746+IH767

For : Nissan Sentra,200SX,200SX,Turbo

**RTHI-749+IRHI-776**



Diodes: 6-35 Ampere  
Diameter OD: 115 mm  
With M8 x 45.6mm Battery  
Post

With M5 x 31.6mm  
Mounting Bolt  
With M4 x 12.7 mm  
Tighting Bolt  
TRANSPO  
IHR749+IH776

For : Opel Corsa, Vectra

**RTHI-769+IRHI-769**



Diodes: 8-60 Ampere  
Diameter OD: 127 mm  
With M8 x 45.6mm  
Battery Post

With M5 x 31.6mm  
Mounting Bolt  
With M4 x 12.7 mm  
Tighting Bolt  
TRANSPO  
IHR769+IH769

For: 1999-up Opel Astra, Vectra1.7L 1999-up Opel Corsa

**RTHI-773+IRHI-765**



Diodes: 6-35 Ampere  
Diameter OD: 119 mm  
With M8 x 50.5mm Battery  
Post

With M5 x 36.5mm  
Mounting Bolt  
With M4 x 12.7 mm  
Tighting Bolt  
TRANSPO  
IHR773+IH765

**RTHI-773+IRHI-766**



Diodes: 8-60 Ampere  
Diameter OD: 119 mm  
With M6 x 20.3 mm  
Battery Post

With M5 x 31.6mm  
Mounting Bolt  
With M4 x 12.7 mm  
Tighting Bolt  
TRANSPO  
IHR773+IH766

For : Nissan Maxima 3.0L DOHC, Infiniti 130

**RTHI-778+IRHI-767**



Diodes: 6-35 Ampere  
Diameter OD: 114mm  
With M6 x 20.3 mm  
Battery Post  
With M4 x 12.7 mm  
Tighting Bolt  
TRANSPO  
IHR778+IH767

For : Nissan Altima

**RTHI-11406+IRHI-767**




Diodes: 8-35 Avalanche  
Diameter OD: 114 mm  
With M5x 18.5 mm  
Battery Post  
With M4x12.7mm. Tighting  
Bolt

**RTHI-11306+IRHI-739**



With M6 x 48 mm  
Battery Post  
With Trio

**RTHI-11413+IRHI-413**



Diodes: 8-35 Avalanche  
Diameter OD: 114 mm  
With M6 x 48 mm  
Battery Post  
With Trio

**RTHI-11308+IRHI-739**



Complete set with  
REC HI11308B+REG  
(05-016) 24V

HITACHI  
LR280-508

**RTHI-758+IRHI-762**



Complete set with  
REC HI10304+REG(05-088)14V  
TRANSPO IHR758+IH762

**RTHI-754+IRHI-248**



Complete set with  
REC HI10310+REG(05-052)14V  
TRANSPO IHR754+IH248

For use on: LR170-734

**RTHI-764+IRHI-744**



Complete set with  
REC HI11424+REG  
05-054 14V

HITACHI LR190-744  
LESTER 13825  
IHR764+IH744

**RTBO-201A**



Diodes : 8-35A Avalanche  
Diameter OD : 120 mm.  
With M8x32mm.  
Battery Post  
With M8x22mm.  
Battery Post  
TRANSPO IBR201A  
For : Mercedes Benz E Class

**RTBO-202**



Bosch 0124415001 0124415002  
0124415005 0124415006  
0124415008 0124415009  
0124415010  
Diodes: 6-50A Avalanche  
Diameter OD: 120mm  
With M8x32mm Battery Post(L)  
With M8x22mm Battery Post(R)  
CARGO 230360  
TRANSPO IBR202  
For : Opel Astra,Corsa,Zafira,Ford Modeo

**RTBO-12037**



Diodes: 6-60A Avalanche  
Diameter OD: 129mm  
With M8x22mm Battery Post(L)  
With M8x38mm Battery Post(R)  
With 129mm Negative heat sink

**RTBO-301**



Diodes: 6-35 Ampere  
Diameter OD: 114mm  
With M6x52.5mm  
Battery Post  
With Trio  
BOSCH  
1 127 011 131  
WAI 31-9116  
CARGO 134341  
MOBILETR RB-16H  
TRANSPO IBR301

For: Volvo Diesel

**RTBO-303**



Diodes: 6-35 Ampere  
Diameter OD: 114mm  
With Trio  
Bosch  
1 127 011 112  
1 127 011 113  
1 127 011 114  
1 127 011 115  
1 127 011 135  
1 127 320 101  
1 127 320 103  
WAI 31-9100  
CARGO 130603  
Mobiletron RB-01HA  
TRANSPO IBR303

**RTBO-304**



Diodes : 6-35 Ampere  
Diameter OD : 114 mm.  
With M6x54mm.  
Battery Post  
With Trio  
Bosch  
1-127-011-139,  
1-127-320-372,  
1-127-320-580,  
1-127-320-652  
WAI 31-9101  
TRANSPO IBR304

For : Ford Cortina, Granada

**RTBO-311**



Diodes: 6-35 Ampere  
Diameter OD: 114mm  
With M8x53.5mm  
Battery Post  
With M5x47.2mm  
Trio Post  
With Trio  
BOSCH  
1 127 320 664  
1 127 320 665  
1 127 320 666  
WAI 31-9114  
CARGO 132667  
Mobiletron RB-04H  
TRANSPO IBR311

For :Audi,VW Diesel

**RTBO-313**



Diodes : 6-35 Ampere  
Diameter OD : 114 mm.  
With M6x52mm.  
Battery Post  
With M4x42mm.  
Trio Post  
With M5x48mm.  
W-Post  
With Trio  
WAI 31-9139  
TRANSPO IBR313

For:DAF,Mercedes Benz,Renault Midliner,Steyer,Saab Scania

**RTBO-314**



Diodes : 6-35 Ampere  
Diameter OD : 114 mm.  
With M6x52mm.  
Battery Post  
With M4x42mm.  
Trio Post  
With M5x48mm.  
W-Post  
With Trio  
Bosch  
1-127-011-095,  
1-127-011-096,  
1-127-011-097,  
WAI 31-9140  
TRANSPO IBR314

For : IHC, Iveco, MAN, KHD, Mercedes Benz Truck

**RTBO-340**



Diodes : 14-50 Ampere  
Diameter OD : 125 mm.  
With M8x52 mm.  
Battery Post  
With M4x32.5 mm.  
Trio Post  
With M6x52 mm.  
Ground Post  
With Trio  
BOSCH 1 127 320 361  
MOBILETRON RB- 72H  
WAI 31-9115  
CARGO 133530  
TRANSPO IBR-340

For : Mercedes, Saab scanid, Volvo Truck

**RTBO-341**



Diodes : 14-50 Ampere  
Diameter OD : 125 mm.  
With M8x52mm.  
Battery Post  
With M4x32.5mm.  
Trio Post  
With M6x52mm.  
Ground Post  
With M5 W-Post  
With Trio  
Bosch 1-127-320-961  
WAI 31-9142  
TRANSPO IBR341

For : DAF, Mercedes Benz, Saab scania

**RTBO-351**



Diodes : 8-35 Ampere  
Diameter OD : 120 mm.  
With M8x52mm.  
Battery Post  
With Trio  
Bosch  
1-127-320-700  
Fiat  
9941712,  
9950118  
Ford  
E5RD-10304-AA  
WAI 31-9106  
TRANSPO IBR351

For : Audi, Fiat, Ford

**RTBO-354**



Diodes : 8-35 Ampere  
Diameter OD : 120 mm.  
With M8x52mm.  
Battery Post  
With M5x48mm.  
Trio Post  
With Trio  
Bosch  
1-127-320-705,  
1-127-320-710,  
1-127-320-723,  
1-127-320-732  
Audi/VW  
026-903-359,  
027-903-359  
TRANSPO IBR354

For : Audi, BMW, Mercedes Benz, Opel, VW

**RTBO-355**



Diodes : 6-35 Ampere  
Diameter OD : 120 mm.  
With M8x52mm.  
Battery Post  
With M5x48mm.  
Trio Post  
With Trio  
Bosch  
1-127-320-702,  
1-127-320-709,  
1-127-320-722  
BMW  
1231-1288-457  
TRANSPO IBR355

For : BMW, Opel, Saab

**RTBO-357**



Diodes: 8-35 Ampere  
Diameter OD: 120 mm  
With M8x52mm. Battery Post  
With M5x48mm.  
Trio Post  
With Trio

For : Audi, VW, Mercedes Benz

**RTBO-501**



Diodes : 8-60A Avalanche  
Diameter OD : 122 mm.  
With M8x30 mm.  
Battery Post  
With Trio  
BOSCH  
1127319501,  
1127319578,  
1127319752  
TRANSPO  
IBR501

**RTBO-547**



Diodes : 14-35 Ampere  
Diameter OD : 145 mm.  
With M8x52mm.  
Battery Post  
With M8x52mm.  
Ground Post  
With M5x34.5mm.  
Trio Post  
With M5x25mm.  
"W" Post  
With 3-25A  
Diode Trio  
Bosch  
1-127-320-547,  
1-127-320-571  
TRANSPO IBR547

For : MAN BUS

**RTBO-550**



Diodes: 12-50 Ampere  
Diameter OD: 145 mm  
With M8x52mm  
Battery Post  
With M5x34.5mm  
Trio Post  
With M8x52mm  
Ground Post  
With 3-35A Diode  
Trio  
BOSCH  
1 127 320 550  
TRANSPO IBR 550

For : Bos,Industrial

**RTBO-667**



Diodes: 6-35 Ampere  
Diameter OD: 114 mm  
With M6x54mm  
Battery Post  
With M4x42mm  
Trio Post  
With M5x47.2mm  
W-Post  
With Trio  
BOSCH 1 127 320 667  
FORD 6156187  
86AB10304AA  
CARGO 135890  
MOBILETRON RB-38H  
TRANSPO IBR667

For:1986-90 Ford Escort,Fiesta,Orion,Opel,Perkins

**RTBO-671**



Diodes: 8-50A Avalanche  
Diameter OD: 112 mm  
With M6  
Battery Post  
With Trio Post  
BOSCH  
1 127 319 671  
CARGO  
139 571  
TRANSPO IBR 671

**RTBO-692**



Diodes: 12-50A Avalanche  
Diameter OD: 122 mm  
With M8x40.5mm  
Battery Post  
With out Trio Post  
BOSCH  
1 127 319 692  
CARGO  
139 252  
MOBILETRON  
RB-105HTRANSPO IBR 692

**RTBO-834**



Diodes : 14-50A Avalanche  
Diameter OD : 122 mm.  
With M8x30mm.  
Battery Post  
With M5  
Trio Post  
With Trio  
Bosch  
1-127-319-552,  
1-127-319-728  
WAI 31-9121  
CARGO 135605  
MOBILETR RB-29H  
TRANSPO IBR834

For : BMW, Mercedes Benz

**RTBO-844**



Diodes : 8-50A Avalanche  
Dim : 112 mm.  
With M8x30mm.  
Battery Post  
With Trio  
Bosch  
1-127-319-637,  
1-127-320-834  
WAI 31-9124  
CARGO 135175  
137333  
MOBILETR RB-12H  
TRANSPO IBR844

For : Mercedes Benz E Class

**RTBO-852**



Diodes : 6-50A Avalanche  
Diameter OD : 112 mm.  
With M8x30mm.  
Battery Post  
With Trio  
Bosch  
1-127-320-852,  
1-127-319-552  
WAI 31-9121  
CARGO 135176  
135439 138077  
230242  
MOBILETR RB-22H  
TRANSPO IBR852

For : VW Cabrio Cabriolet, Golf

**RTBO-854**



Diodes: 8-50A Avalanche  
Diameter OD: 122 mm  
With M8x30mm  
Battery Post  
With Trio Post  
WAT 31-9127  
CARGO 138 074  
TRANSPO  
IBR 854

For use on:VW Curado,Golf Passet,Jotta,Eaovan

**RTBO-854-1**



**RTBO-955**



Diodes : 8-50 Ampere  
Diameter OD : 125 mm.  
With M8x52mm.  
Battery Post  
With M4x32.5mm.  
Trio Post  
With M6x52mm.  
Ground Post  
With M5 W-Post  
With Trio  
Bosch 1-127-320-602,  
1-127-320-951,  
1-127-320-955  
TRANSPO IBR955

For : DAF, KHD, MAN, Scania

**RTBO-11205**



Diodes : 8-35A Avalanche  
Diameter OD : 112 mm.  
With M8x30mm.  
Battery Post  
With Trio

**RTBO-11206**



Diodes : 6.50A Avalanche  
Diameter OD : 112 mm.  
With M8x30mm.  
Battery Post  
With Trio

**RTBO-11209**



Diodes:6-35A Avalanche  
Diameter OD: 112 mm  
With M8x40.5mm  
Battery Post  
With Trio  
BOSCH  
1127319623  
1127320882  
CARGO  
137257  
TRANSPO  
IBR852

**RTBO-12201**



Diodes: 14-50A Avalanche  
Diameter OD: 122mm  
With M8x30mm  
Battery Post  
With M5  
Trio Post  
With Trio  
BOSCH  
1 127 319 552  
1 127 320 852  
31-9121  
CARGO  
135605

**RTBO-12202**



Diodes : 8-50A Avalanche  
Diameter OD : 122 mm.  
With M8x30mm.  
Battery Post  
With Trio  
WAI  
31-9127  
CARGO  
138074  
TRANSPO  
IBR854

For : VW Corado, Golf, Passat, Jetta, Eurovan

**RTBO-12204**



Diodes : 12-50A Avalanche  
Diameter OD : 122 mm.  
With M8x30mm.  
Battery Post  
With Trio  
Bosch  
1 127 319 690  
1 127 320 860  
Cargo 137259  
Transpo IBR860

For : 1991-00 BMW w/140A

**RTBO-12206**



Diodes: 14-50A Avalanche  
Diameter OD: 122 mm  
With M8x30mm  
Battery Post  
With Trio  
BOSCH  
1127319712  
1127319641



**RTDA-264000**



Diodes : 8-35 Ampere  
Diameter OD : 88mm  
REC DR EURO  
Aluminum Heatsink  
With trio, with capacitor

M6 Batt.Term.  
REPLACING  
P3162A80D00-000,  
264000,DAMAS,  
TOWNER

**RTLCL-566**



Diodes : 6-35 Ampere  
Diameter OD : 115 mm.  
With M6-41.7 mm. Battery Post  
With M5-53.7 mm. W- Post  
With Lead Wire 110 mm.  
With Trio

LUCAS  
84201/84422  
MOBILETRON  
RL-01H  
WAI 31-9208  
CARGO 131304  
TRANSPO ILR566HD

For : Massey Fergusson, J.I. Case

**RTVA-551**



Diodes: 6-50 Ampere  
Diameter OD: 115 mm  
With Capacitor  
With Trio

For : Volvo Penta

**RTVA-848**



Diodes: 6-50A  
Avalanche  
Diameter OD: 107 mm  
With M8X49mm  
Battery Post  
Without Trio  
Without "W"Terminal

For : Citroen , Peugeot

**RTVA-6313**



**ALUMINUM  
PRESS FIT DIODE 50A**

Diodes: 6-35A Avalanche  
Diameter OD: 111 mm  
With M6X23.5 mm Battery Post  
ALTERNATOR REFERENCES  
MAGNETI MARELLI 1201-0003

CARGO CA1340IR  
FIAT 63321679  
63341679  
MOBILETRON RI-32H  
TRANSPO IXR631